

Technická špecifikácia HW**Connectrix DS-6610B 8P/24P Switch w/rear-to-front airflow (includes 8x16Gb SFPs and rack mount kit)[Connectrix DS6610B - [EMEA_DS6610B_38805_VP]]**

- 6 407-BCQK OM4 LC/LC Multi Mode Fiber Cable (optics required), 3 Meter
- 1 450-AKQU QTY 2 Connectrix C13 Power Cord CEE7/7 plugs 2Meter
- 1 683-23243 INSTALL DECLINED- switch deployment performed by Customer-3rd party
- 1 709-BDSU Parts Only Warranty 36 Months
- 1 199-BJSS ProSupport and Next Business Day Onsite Service Extension, 60 Mesiace
- 1 199-BJST ProSupport and Next Business Day Onsite Service Initial, 60 Mesiace

Smart Value Storage[Smart Value Flexi PS 500T - EMEA]

- 1 210-AXXJ PowerStore 500T Customer Rack
- 1 370-AFXQ 192GB Appliance DIMM 96GB Per Node
- 10 400-BGGI P1 25X2.5 NVME SED SSD 1.92TB
- 1 406-BBOO 25GBE OPTICAL 4 PORT CARD PAIR
- 1 450-AKHM 1450 WATT POWER SUPPLY PAIR
- 1 470-ADTU 1M PASSIVE 25G TWINAX CABLE QTY 2
- 1 565-BBJP 16GB FC 4 PORT IO MODULE PAIR
- 1 647-10219 Partner Operations Support 1 528-BTZK PowerStore Base SW
- 1 709-BDLN Parts Only Warranty 36 Months, 36 Mesiace
- 1 199-BJJK ProSupport and 4Hr Mission Critical Extension, 60 Mesiace
- 1 199-BJLJ ProSupport and 4Hr Mission Critical Initial, 60 Mesiace

AppSync for PowerStore[Dell EMC AppSync for PowerStore - EMEA]

- 1 487-11924 5Y ProSupport Mission Critical for AppSync Starter Pack Software Support/Maintenance
- 1 528-BYHF AppSync Str Pk for PowerStore=CB
- 1 821-21948 5Y ProSupport Mission Critical for AppSync Starter Pack Software Support Contract

Dell EMC PowerProtect Data Manager Essentials[Dell EMC PowerProtect Data Manager Essentials - 12CPU]

- 1 379-BDTQ Thank you for buying Dell EMC

120 141-BIBE Cloud Snapshot Manager=IB
12 528-CQFC MOD,DF,SW,PPDMESN,PER,IA
1 528-CRYV PowerProtect Storage Direct DD vD=IA
1 528-CRYX PowerProtect Cyber Recovery=IC
1 528-CRZJ vRealize=IA
12 528-CPWX MOD,DF,SW,PERP,DP,CENTRAL,CA
12 528-CPWY MOD,DF,SW,PP,PERP,OR,R,AGNT,CA
12 528-CPWZ MOD,DF,SW,PP,PERP,MCRO,AGNT,CA
12 528-CPXB MOD,DF,SW,PP,PERP,DTBS,AGNT,CA
12 528-CPXD MOD,DF,SW,PERP,GRN,RV,MS,MD,CA
12 528-CRYS PowerProtect Storage Direct for PMAX=CA
12 528-CRYW vProtect=CA
12 528-CRYZ PowerProtect Storage Direct for XIO=CA
12 528-CRZC Cloud Disaster Recovery=CC
12 528-CRZG PowerProtect Storage Direct for VMAX=CA
12 528-CPXC MOD,DF,SW,PERP,PP,DD,VRTLED,CA
12 528-CPXF MOD,DF,SW,PERP,CLOUDTR,CC,CA
12 528-CRZF RecoverPoint for VMs=IA
1 487-BHOF ProSupport Next Business Day PowerProtect Data Mgr Essentials Sftwr Spt-Maint, 60 Mesiace

VMware vSphere Standard

1 634-BFRU VMware vSphere 7 Standard, 1 CPU (max 32 cores/CPU socket), 5YR License/Maintenance, EUR
1 821-15722 ProSupport for Software, VMware, vSphere Standard, 1 CPU, 5 Year
1 821-15719 ProSupport for Software, VMware, 5 Year

VMware vCenter Standard

1 634-BFRQ VMware vCenter 7 Standard, Per Instance, 5YR License/Maintenance, EUR
1 821-15731 ProSupport for Software, VMware, vCenter Standard, 5 Years
1 821-15719 ProSupport for Software, VMware, 5 Year

PowerEdge R650xs

1 329-BGEZ PowerEdge R650xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM
1 338-CBXJ Intel Xeon Gold 6326 2.9G, 16C/32T, 11.2GT/s, 24M Cache, Turbo, HT (185W) DDR4-3200
1 379-BEIC 8x2.5 Front Storage

- 1 379-BDSS SAS/SATA Backplane
- 1 379-BDTE No Rear Storage
- 1 379-BCSF iDRAC, Factory Generated Password
- 1 379-BCQY iDRAC Group Manager, Disabled
- 1 321-BGQI 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 1 CPU
- 1 325-BCHH Standard Bezel 1 330-BBTC Riser Config 4, 1xOCP 3.0(x16)+ 1x16LP
- 1 343-BBRH PowerEdge R650xs x8 Shipping Material
- 1 350-BCEN Dell EMC Luggage Tag (x8 or x10 chassis)
- 1 350-CEM No Quick Sync
- 1 370-AAIP Performance Optimized
- 1 370-AEVR 3200MT/s RDIMMs
- 4 370-AEVP 64GB RDIMM, 3200MT/s, Dual Rank
- 2 400-AXTV 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
- 1 405-ABCQ PERC H355 Controller Front
- 1 412-AAVQ MOD, THRM, CPU, HPR, 1U, R450/R650X
- 1 412-AAVV Blank for 1CPU Configuration
- 2 450-AADY C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
- 1 450-AIQZ Dual, Hot-plug, Redundant Power Supply (1+1), 1400W
- 1 461-AAIG Trusted Platform Module 2.0 V3
- 1 293-10025 Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)
- 1 293-10049 Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)
- 1 540-BDIB QLogic 2692 Dual Port 16Gb Fibre Channel HBA, PCIe Low Profile, V2
- 1 540-BCXW Intel E810-XXV Dual Port 10/25GbE SFP28, OCP NIC 3.0
- 1 750-ACFR Front PERC Mechanical Parts, front load
- 1 770-BCJI ReadyRails Sliding Rails Without Cable Management Arm
- 1 770-BDZL Cable Management Arm
- 1 780-BCDN RAID 1
- 1 528-CRVW iDRAC9 Datacenter 15G
- 1 384-BBBH Power Saving BIOS Settings
- 1 384-BCUB High Performance Fan x5
- 1 631-AACK No Systems Documentation, No OpenManage DVD Kit
- 1 647-10219 Partner Operations Support
- 1 708-10082 Configuration Services, Standard ISG System Report, Deliver Via Email
- 1 709-BBIL Next Business Day 36MONTHS
- 1 865-BBMY ProSupport Next Business Day Onsite Service Initial, 60 Mesiac

1 865-BBMZ ProSupport Next Business Day Onsite Service Extension, 60 Mesiac

PowerEdge R650xs

1 329-BGEZ PowerEdge R650xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM
2 338-CBXJ Intel Xeon Gold 6326 2.9G, 16C/32T, 11.2GT/s, 24M Cache, Turbo, HT (185W) DDR4-3200

1 379-BEIC 8x2.5 Front Storage

1 379-BDSS SAS/SATA Backplane

1 379-BDTE No Rear Storage

1 379-BDCO Additional Processor Selected

1 379-BCSF iDRAC, Factory Generated Password

1 379-BCQY iDRAC Group Manager, Disabled

1 321-BGQJ 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU

1 325-BCHH Standard Bezel

1 330-BBSZ Riser Config 3, 1xOCP 3.0(x16)+ 2x16LP

1 343-BBRH PowerEdge R650xs x8 Shipping Material

1 350-BCEN Dell EMC Luggage Tag (x8 or x10 chassis)

1 350-BCEM No Quick Sync

1 370-AAIP Performance Optimized

1 370-AEVR 3200MT/s RDIMMs

8 370-AEVP 64GB RDIMM, 3200MT/s, Dual Rank

2 400-AXTV 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD

1 405-ABCQ PERC H355 Controller Front

2 412-AAVQ MOD, THRM, CPU, HPR, 1U, R450/R650X

2 450-AADY C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord

1 450-AIQZ Dual, Hot-plug, Redundant Power Supply (1+1), 1400W

1 461-AAIG Trusted Platform Module 2.0 V3

1 293-10025 Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)

1 293-

10049 Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)

1 540-BDIB QLogic 2692 Dual Port 16Gb Fibre Channel HBA, PCIe Low Profile, V2

1 540-BCXW Intel E810-XXV Dual Port 10/25GbE SFP28, OCP NIC 3.0

1 750-ACFR Front PERC Mechanical Parts, front load

1 770-BCJI ReadyRails Sliding Rails Without Cable Management Arm

1 770-BDZL Cable Management Arm

1 780-BCDN RAID 1 1 528-CRVW iDRAC9 Datacenter 15G

1 384-BBBH Power Saving BIOS Settings

- 1 384-BCTO MOD,FAN,HPR,R450/R650XS
- 1 631-AACK No Systems Documentation, No OpenManage DVD Kit
- 1 647-10219 Partner Operations Support
- 1 708-10082 Configuration Services, Standard ISG System Report, Deliver Via Email
- 1 709-BBIL Next Business Day 60MONTHS
- 1 865-BBMY ProSupport Next Business Day Onsite Service Initial, 60 Mesiac
- 1 865-BBMZ ProSupport Next Business Day Onsite Service Extension, 60 Mesiac